

partial validation" objed

Search



About 260 results (0.55 seconds)

Advanced search

Everything

▼ More

All results

Related searches.

_More search tools

] - Rails / Model validation and form processing - WhyNotWiki

Jun 22, 2007 ... Makes it easy to have **model objects** that support the ActiveRecord It'd be so nice to just query a model to see what it considers valid. If the **database** column were a numeric type, it would be stored as 1234. or to even support a "partial" validation directly (i.e. just validate data ...

whynotwiki.com/.../ Model_validation_and_form_processing Cached - Similar

2. An optimizing OCL Compiler for Metamodeling and Model ...

by G Mezei - 2007 - Cited by 9 - Related articles

metamodels and graph rewriting-based model transformation rules. straightforward, because sometimes only partial validation is required on a model. ... cached references execute the appropriate database query only if the required The correctness and the efficiency of the algorithms have been proven. ...

www.springerlink.com/index/m40p0357521w1x26.pdf - Similar

3. LNCS 3271 - Automated Validation of Service Configuration on ...

by S Hallé - 2004 - Cited by 12 - Related articles

model for the validation of service configurations on network devices. ... Some partial validation solutions have been proposed in different areas. For For example, the VPN. Tree Rule 3 now becomes: TQL Query 3 network[... in the configuration and eventually correct it. On the other hand, an empty ... www.springerlink.com/index/vk1tx42mrwrmh6at.pdf

- Show more results from www.springerlink.com
- 4. JPDFJ LNCS 2992 A Tale of Two Schemas: Creating a Temporal XML Schema ...

File Format: PDF/Adobe Acrobat - Quick View

by F Currim - 2004 - Cited by 14 - Related articles

only affect (perhaps) the efficiency of that tool, not its **correctness**. With physical data ... (for XML Schema) can be used for (**partial**) **validation**. [16] Gadia, S. A Homogeneous Relational Model and **Query** Languages for Temporal ... Modern **Database** Systems: The **Object Model**, Interoperability and Beyond, ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.131.4938...

type...

5. [PDF] SMART: System Model Acquisition from Requirements Text

File Format: PDF/Adobe Acrobat - Quick View

by D Dori - Cited by 5 - Related articles

essentially a **rule**-based expert system, which is a highly technical ... properties, such as **correctness**, consistency, and completeness on those requirements ... Lightweight formal methods were used in [27] for **partial validation** of NL in the OPM **model**, and classifying them as either **object** or processes. ...

citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.108.763...type...

- Show more results from citeseerx.ist.psu.edu
- 6. [PDF] Knowledgescapes: A Probabilistic Model for Mining Tacit Knowledge ...

File Format: PDF/Adobe Acrobat - Quick View by HA Cheng - Cited by 5 - Related articles

In the Knowledgescapes **model**, we employ a different **kind** of tacit knowledge mining that leverages the ... **rules** to extract tacit knowledge contained in the history. Knowledgescapes **query database**, and a significant fraction of searches interpreted as **partial validation** of the internal consistency of our ... www.cs.berkeley.edu/~jfc/papers/01/heyning/ms_knowledgescapes

www.cs.berkeley.edu/~jfc/papers/01/heyning/ms_knowledgescapes.pdf

7. 3 Using Oracle XML DB

Structured storage maintains DOM (Document **Object Model**) fidelity. The **database** enforces these business **rules** regardless of whether XML is inserted ...

download.oracle.com/docs/cd/B14117_01/.../xdb03usg.htm

- Cached Similar
- 8. Efficient validation of mobile transactions in wireless ...

by V Lee - 2004 - Cited by 23 - Related articles

Serializability is the standard notion of **correctness** in transaction If the transaction fails the **partial validation**, it will be aborted and restarted. **Database** systems issues in nomadic computing. In: Proceedings of the ACM SIGMOD ... Multiversion **query** locking. In: Proceedings of the Eighteenth ...

linkinghub.elsevier.com/retrieve/pii/S0164121203000840

9. Deductive databases for transport engineering - Elsevier

by BG Heydecker - 1995 - Cited by 2 - Related articles
Such a constraint is a function which for all **correct database**states ... The following constraint 'inherts' thus provides a **partial validation** of port **rules** for **correct** coding of STATS 19 data
(Department of Transport, Investigation of **query** optimisation
techniques for **database** programming languages. ...
linkinghub.elsevier.com/retrieve/pii/0968090X95000117

- Show more results from linkinghub.elsevier.com
- 10. [PDF] Efficient validation of mobile transactions in wireless environments

File Format: PDF/Adobe Acrobat - Quick View by VCS Lee - 2004 - Cited by 23 - Related articles

poses another **type** of timing constraints to the **database** systems. ... serializability as **correctness** criterion in the data-cycle ... municate and compare their **query** results, they may be ... lock requests for each data **object** from the mobile cli- or **partial validation** point for mobile transactions. The ...

delab.csd.auth.gr/~dimitris/.../
USS 04 validation mobile transactions.pdf

11. Partial Xml Validation invention

May 17, 2007 ... Related Patent Categories: Data Processing: **Database** And File Management Or ... to check XML queries for **correctness**, and optimize XML queries and XML storage. ... The **partial validation** is performed on the data to be modified in the XML But, in brief, the **query** engine will fetch only the rows ... www.freshpatents.com/Partial-xml-validation-dt20070517ptan20070112851.php - Cached

12. Using Oracle XML DB

Store the XML document in Oracle **Database** using a Character Large **Object Partial validation** ensures only that all of the mandatory elements and ...

oracle.su/docs/11g/appdev.112/e10492/xdb03usg.htm - Cached

13. Administering - Mapping and importing XML schemas into DB2 Content ...

If you are not connected to a server, you are prompted for a database name, user ID, and password. ... There are different renaming rules depending on the type of schema Partial validation does not check the names against elements in the ... When you save mappings into the mapping repository, a new query is ...

publib.boulder.ibm.com/infocenter/cm83/.../mddh2057.htm

- Cached Similar
- 14. C++ Error Listings

Work **objects** and queue records may not be read using this **query type**. ... 213109163, **Partial validation** not allowed on work performer class transfer ... 213109174, Retry last **DB** transaction. 213109190, Unable to send **rules** message 213,60,1058, Milestone index must be in the **correct** sequence (start from 0 to n) ... publib.boulder.ibm.com/...ibm.../exceptions_cpp.htm - Cached - Similar

15. integer validation asp - WeAsk.us

Tags: partial validation asp net mvc partial validation asp ve read number I definitely think the business rules should reside either on the model or in the a data transfer object, which I will use for storing the records retrieved from database. ... I use Int16 for my i variable type instead of Integer. ...

www.weask.us/tag/integer-validation-asp - Cached

16. include css files mvc partial control - WeAsk.us

The problem comes in when I try to pass the **model** to the partial view. ... Tags: **partial validation** asp net mvc **partial validation** asp ve read number ... I am pretty new to MVC and hope that I am approaching this the **correct** way. c in **db**.information where c.id == id select new information { id = c.id, **type** ...

www.weask.us/tag/include-css-files-mvc-partial-control - Cached

- Show more results from www.weask.us
- 17. METHOD AND SYSTEM FOR VALIDATING XML DOCUMENT Patent application

At least one **rule** document is parsed and a **rule object model** is created in the memory. validation which is strictly a check for format and **correctness**, Xpath may be used as a stand-alone **query** language for XML, and may also be ... fine grained units, such as **rules** or assertions, for **partial validation**. ...

www.fags.org/patents/app/20100023471 - Cached

18. Automatic software production system - Patent application ...

[0010]OBLOG is another **object**-oriented approach for software development that the target **database type**, all species within this subgenus of **database** ...

www.faqs.org/patents/app/20080209391 - Cached

- Show more results from www.faqs.org
- 19. SIGMOD: SIGMOD '93, Database system issues in ...

by R Alonso - 1993 - Cited by 263 - Related articles

Olaf Zukunft, **Rule** based adaptation in mobile **database** systems, Proceedings of the 1997 ... Yelena Yesha, Updating and **Querying Databases** that Track Mobile Units, ... On Transaction Processing with **Partial Validation** and Timestamp Ordering in ... Y. C. Chehadeh , A. R. Hurson , M. Kavehrad, **Object** Organization on a ... portal.acm.org/citation.cfm?id..type...WantType...

20. Ontonym: a collection of upper ontologies for developing pervasive ...

by G Stevenson - 2009 - Cited by 3 - Related articles

ing paradigm, whereby almost any **object**, from home fur- nishings and appliances, to cars, to clothing, even to coffee of a context **model** and its data; **partial validation** requires real-world understood meanings, while syntactic **correctness** relationship relates a location to other **types** of ContextEn- ...

portal.acm.org/ft_gateway.cfm?id=1552271&type=pdf&coil...

- Show more results from portal.acm.org
- 21. [PDF] An Object-Process-Based Modeling Language for Multi-Agent Systems

File Format: PDF/Adobe Acrobat - Quick View by A STURM - Related articles

which follows the **rules** specified within the meta-models (from M1.5 and M2); and (4) to enforce **correct** usage of the MAS building blocks and the yields a **Query object**. The Administrating Task follows the **Querying** Task and of M1.5 elements to M1 elements and **partial validation** of a **model** in M1 with ...

www.opcat.com/.../
An Object Process Based Modeling Language For Multi Agent Systems.
pdf

22. schematron

First draft article (PDF) on data **model**/serialization issues from Rick Jelliffe as just the element name: <**rule** context="*[xsi: **type**='address']">.... for example. ... where the document goes through different stages; **partial validation**, ... Again the focus is **querying**: definition of atomic structures and tables ... xml.ascc.net/schematron/1.3/oid-index.html - Cached - Similar

23. [PDF] Download in PDF - Optimization algorithms for OCL constraint ...

File Format: PDF/Adobe Acrobat - Quick View by G Mezel - Related articles

To support the base **types** available in OCL, a class library has. Per. Pol. Elec. Eng. in a certain case the **correctness** of the algorithm is proven to ... Rule 2. If the expression is an attribute **query** in the old con- only **partial validation** is required on a **model**. Thus, the caching ...

www.pp.bme.hu/ee/2007_3/pdf/ee2007_3_04.pdf

24. Using Oracle XML DB

Store the XML document in Oracle **Database** using a Character Large **Object** (CLOB Example 3-15 provides an example of failing **partial validation** while ...

www.comp.dit.ie/btierney/oracle11gdoc/appdev.../xdb03usg.htm - Cached

25. [PDF] Oracle XML DB Developer's Guide

File Format: PDF/Adobe Acrobat

SQL **Object Types** Created During XML Schema Registration, for Structured used when inserting XML documents into the **database**. **Partial Validation** ...

www.comp.dit.ie/btierney/Oracle11gDoc/appdev.111/b28369.pdf 26. [PDF] The SCOOP Concurrency Model in Java-like Languages

File Format: PDF/Adobe Acrobat - Quick View by FTORSHIZI - Related articles

The SCOOP (Simple Concurrent **Object** Oriented Programming) **model** of concur- turning a reference **type**, the target must be declared as separate. If **query** q of class of safety (i.e., through the **type** safety **rules** of [3]). ... is **correct** for every program, we can get **partial validation** of **correctness** ...

www.cs.toronto.edu/~faraz/papers/cpa09.pdf

27. Another insane Schematron patent? - O'Reilly Broadcast

Mar 31, 2010 ... I don't know that XSLT 1.0 makes any statements that one **mode** will be ... This is either completely false, or completely **correct**, ... [0027]Such an XSLT based method makes it difficult to support **partial validation** with fine grained ... this **kind** of granularity, cross-cutting the hierarchy of **rule**) ... broadcast.oreilly.com/2010/03/another-insane-schematron-pate.html - Cached

28. v2 Wish Lists - Add Yours Here

The reason is that EntityDataSource returns a List<object> instead of a List<MyEntity>. the in memory collection rather than actually **querying** the **database**. Support for spatial **query** again the geography/geometry data **type** of No one usually interesting in providing **correct model** resource path - it ...

social.msdn.microsoft.com/.../bbae53aa-c95c-4a54-ae24-e657a2edae3f/ - Cached

29. [PDF] Representation of XML Schema Components

File Format: PDF/Adobe Acrobat - Quick View by F Michel - 2007 - Cited by 2 - Related articles

Recalling the twofold service of Schema-validation, **partial validation** can neither be **queried** nor navigated. Finally, the **type** operators (e.g., ... Due to the simplification **rules** given, they also hold for every **correct** RELAX NG ... the XML Schema **Object**

Model (XSOM)13 from java.net, and the Castor XML Schema ... dret.net/netdret/docs/mt-ws2006-michel.pdf - Similar

30. This work is licensed under a CC Attribution 3.0 Unported License ...

Abstract Schema Languages XML Validation XML knows two **types** of documents, to Trees In the **model**, n:m relationships may appear in an address **database**, ...

dret.net/lectures/xml-fall10/xml-fall10.xml - Cached

31. Ruby On Rails | Devinterface Blog - Part 2

Maintainability: a modular and DRY code is easier to **correct** and easier to understand. ... This method uses of a mock **object** to simulate the validation of **model** and after it ... In such a situation it is convenient to use **partial validation**. ... and to create the "where conditions" to be applied on our find **query**. ...

blog.devinterface.com/tag/ruby-on-rails/page/2/ - Cached

32. [PDF] Full paper for UbiComp 2004 Workshop on Context Modelling...

by T Strang - Cited by 562 - Related articles

partial validation. • incompleteness. • quality of information. •
applicability to existing service ... ORM Entity Type n-ary ORM Fact

Type. ORM Entity Type. Contextual Extended ORM ... Context

Modeling Approaches (3/3). • Object Oriented Models ... Graphical

Models. Markup Query Language. Markup Scheme Models ...

www.itee.uq.edu.au/~pace/cw2004/Paper15-Presentation.pdf

- Similar

33. [PDF] Profile-based access control for service invocation

File Format: PDF/Adobe Acrobat - Quick View implementation will function as a **partial validation** of the metamodel. **.....** STATIC **OBJECT MODEL**. Resource. Service. Role **Type**. Subject. Policy. **Rule ...**

www.leune.com/files/reports/itrs012.pdf

34. (WO/2001/075593) AUTOMATIC SOFTWARE PRODUCTION SYSTEM

by O PASTOR - 2001 - Cited by 8 - Related articles

3 illustrates an example of an **object model** for a library system with readers, books, **Query** Language (SQL) scripting language to create the data model for the A process and a set of **rules** in grammar to validate every **type** of ... and **partial validation** is to be invoked any time the designer introduces ...

www.wipo.int/pctdb/en/wo.jsp?wo=2001075593&IA...DESC - Cached

35. Dr Dobbs - XiMoL: An XML Stream Parser

Then all you have to do to obtain the input/output for the XType **type** is to set or read the **correct** tag for XType and recursively call the it allows validation to be written and unlike DOM, it allows **partial validation** of a document. ... [1] Document **Object Model** (DOM) Level 3 Core Specification, Version 1.0, ... ddj.com/184401846 - Cached

36. <u>VERSANT Architecture: Supporting High - Performance</u> <u>Object</u>
Databases

partial validation of our approach using VERSANT. ... high-availability of object databases, even in the presence ... traffic is reduced to a short query message from the client administrators and often end users may have no correct stochastic access model for object stores. Unpublished ...

doi.ieeecomputersociety.org/10.1109/IDEAS.1998.694372

37. Author Guidelines for 8

by G Li - Related articles

conservative concurrency control **correctness** criterion ... requirements for **query** executions-. Strict consistency, where n is the number of data **objects** in the **database**. study to **rule** out factors other than concurrency control. OCC because of the autonomous **partial validation** at mobile clients. ...

doi.ieeecomputersociety.org/10.1109/FCST.2006.14

- Show more results from doi.ieeecomputersociety.org
- 38. data annotations Page 6 Developer IT

Login) %> on this line it does not display **correct** label from ... 102-Custom ValidationAttribute test against whole **model** ... Some approaches I can think of is similar to steve sanderson's **partial validation** approach. my **object** has field with data **type** int. when i put in html form in this textbox letter not ... www.developerit.com/en/search/page-6/data-annotations - Cached 39. asp net mvc2 - Page 8 - Developer IT

BindModel returns an **object** where everything is null, and I simply don't want to 142- What is the **correct** way to create dynamic javascript in ASP.net MVC2? ... Does the Html.EnableClientValidation () work on the nested data **model** like ... and the form's submits will return this **partial**. **Validation** works fine. ...

www.developerit.com/en/search/page-8/asp-net-mvc2 - Cached

40. O'Reilly XML Blog

Without this **kind** of legislative action to **correct** markets, file formats are They write their code to comply with the **rules** specified in the related standards doc. However, with Schematron using XPath2 or XSLT2 as their **query** language ... Validators in editors frequently implement **partial validation**, ...

www.oreillynet.com/xml/blog/2007/11/ - Cached - Similar

41. Minutes: W3C Technical Plenary 3 March 2004

Mar 25, 2004 ... dbooth in IRC: Isn't the "global model" defined by a document somewhere? The object is that you can define namespaces independently and merge them to assume that a human is involved because the output must be visibly correct Richard Tobin: Is query practical on any large database? ... www.w3.org/2004/03/plenary-minutes - Cached - Similar

42. XML Schema Part 1: Structures Second Edition rec-20041028
W3C ...

Oct 28, 2004 ... Type Definition Components The abstract model provides two kinds of Constraints and Validation Rules The specification describes two kinds of above is provided for applications such as query processors which need is not none none; partial. Validation Failure (Element) If the local ... www.w3.org/TR/2004/REC-xmischema-1../structures.xml - Cached - Similar

Show more results from www.w3.org

43. 3 Using Oracle XML DB

For example, you can **query** XMLType columns and join the result of the Uses SQL to load data into Oracle **Database**. This is the

default **mode**. that a given instance document conforms to the **rules** defined by the XML schema. Example 3-10 illustrates the creation of **object types** during XML schema ...

www.di.unipi.it/~ghelli/didattica/bdldoc/B19306.../xdb03usg.htm - Cached

44. <u>Summary of the CONSER Operations Committee Meeting May 6-7, 2004</u>

Whitacre noted the positives of the subscription **model**: ... The modifications will allow users to: set preferences to full or **partial validation**, ... up a record and make an edit such as **correct** a typo with the complete record being validated; Include the concept of the CONSER **database** serving various users. ... www.loc.gov > CONSER Home - Cached

45. A Safe Dynamic Adaptation Framework for Aspect- Oriented Software ...

by MA Pérez-Toledano - 2008 - Cited by 2 - Related articles require **partial validation**, enabling actions not involved in the join point where the When a pathology of this **type** is detected, it is necessary to return to UML Iragl is a transition relation that satisfies the following **rules**: specifications manually in order to build a **correct model**. ...

www.jucs.org/jucs_14_13/a.../jucs_14_13_2212_2238_toledano.pdf 46. [PDF] The Advisory list for self- classification of dangerous substances

File Format: PDF/Adobe Acrobat - View as HTML by JR Niemelä - Related articles

Leaving out 50% of the chemicals in the **partial validation** ... provided that the **query** structures are within the domains of the models. This ... submitted to the EU JRC QSAR **Model Database** and the OECD QSAR. Application Toolbox /35, 37/. ... Because of the large number of chemicals involved, "**rules**" were used for ... www2.mst.dk/udgiv/publications/2010/978../978-87-92617-65-1.pdf

47. [PDF] Techniques for describing and manipulating context information

File Format: PDF/Adobe Acrobat - Quick View

Use Case: detecting overlapping and conflicting **rules**Applications, which **query** the knowledge base for information (possibly through reasoners), and use The AWARENESS project

has proposed a context **object model**, but we do not consider this **Partial validation**: again as a consequence of distribution, ... https://doc.novay.nl/.../Techniques%20for%20describing%20and%20manipulating%20context%2...

48. The Dimensionality of Regional Integration: Construct Validation ...

by CW Kegley Jr - 1975 - Cited by 11 - Related articles the hopes that such a **query** will serve to suggest potentially fruitful avenues for (a) **correct** errors in heuristic [postulational] **types**; (b) reveal **types** where rather than interactions between states, are the **object** of conclude that his construct receives only **partial validation** here. ...

www.jstor.org/stable/2706207 - Similar

49. <u>Automatic software production system - Patent Application</u> 20070089103

Apr 19, 2007 ... OBLOG is another **object**-oriented approach for software development vary with formal language of the input and the target **database type**, ...

www.freepatentsonline.com/y2007/0089103.html - Cached

50. Managing XML documents containing hierarchical database ...

5960199, **Model** trace view for **object**-oriented systems, September, 1999 ... document using an event-based **rule** engine to format a document as the user **types** ...

www.freepatentsonline.com/7318063.html - Cached

- Show more results from www.freepatentsonline.com
- 51. [PDF] Regular Expression Pattern Matching for XML

File Format: PDF/Adobe Acrobat - Quick View by H Hosoya - 2001 - Cited by 215 - Related articles

database. type Person = person[Name,~ail*,Tel?] type Name ... query languages and document processing languages [DFF +, ... inference algorithm and proves its correctness. Section 5 Finally, we have two rules for type and pattern states. ... partial validation relation. Partial validation can be seen as ... www.cs.washington.edu/homes/suciu/PAPERS/xduce.pdf

52. IBM developerWorks: XML: Technical library view

The strong tie between XML and Unicode means this database is

very valuable the use of document order indices (DOIs) to **model** hierarchy in XML documents. ... such as DOMs and **query** engines, that need to navigate through XML trees. ... This tip explains how to use a **partial validation** approach, rather than the ...

www.ibm.com/developerworks/views/xml/libraryview.jsp?search...
- Cached

53. IBM developerWorks: XML: Technical library view

Broadly speaking, this is yet another **object**-oriented XML API, somewhat in the ... **objects** so that an XOM instance can always be serialized to **correct** XML. such as DOMs and **query** engines, that need to navigate through XML trees. ... This tip explains how to use a **partial validation** approach, rather than the ...

www.ibm.com - developerWorks - XML - Technical library - Cached

54. [PDF] Ontonym: A Collection of Upper Ontologies for Developing Pervasive ...

File Format: PDF/Adobe Acrobat - Quick View by G Stevenson - Cited by 3 - Related articles

of a context **model** and its data; **partial validation** requires that it is possible to validate the structure and **type** of sensor being used. Listing 3 describes a Ubisense ontologies should be validated against the **rules** of their im- ing an **object** with multiple instances of a property, while the **model's** ...

www.simondobson.org/softcopy/ontonym-ciae2009.pdf
 Automatic software production system - US Patent 7278130
 Description

OBLOG is another **object**-oriented approach for software development that and the target **database type**, all species within this subgenus of **database** ...

www.patenistorm.us/patents/7278130/description.html - Cached

56. Open and Novel Issues in XML Database Applications: Future ...

Internet. let us consider the twig **query** Q given in Figure 4.variety. Lu. This metadata modeling should also consider the business **rules** and constraints ...

www.scribd.com/.../Open-and-Novel-Issues-in-XML-Database-Applications-Future-Directions-and-Advanced-Technologies

57. [PDF] Lecture 3: December 29, 2001 3.1 Introduction - Sequence

Alignment ...

File Format: PDF/Adobe Acrobat - Quick View

database for matches to a given query, we compare the query using the FASTA algorithm the histogram of characters types and obtain their distribution. When we align together Partial validation of the correctness of PAM1 can be gained by viewing the A model of evolutionary change in proteins. ... www.cs.tau.ac.il/~rshamir/algmb/01/scribe03/iec03.pdf - Similar

58. Creativity, problem solving and innovative science: Insights from ...

worked were the subject not the **object** of her research (Keller, 1985). ... I'm thinking the images but feeling their **correctness**. (Anne) creative problem solving process entirely, while a **partial validation** may result in the individual The responses to Dr. B.L. Mungekar's **query** provided both examples of ... pdfcast.org > Psychology - Cached

59. Genome Biology | Full text | Integrating phenotype ontologies ...

by C Mungali - 2010 - Cited by 17 - Related articles

We also performed a **partial validation** of the mappings by attempting to ... We used two strategies to overcome this: using a relational **database** backed ... However, if we wish to **query** across combined multi-species datasets for all or to add logical **rules** to PATO such that it is possible to infer abnormal X ... genomebiology.com/2010/11/1/R2/ - Cached

60. Genome Biology | Full text | Integrating phenotype ontologies ...

For example, the **database** might record an association between a genotype of ... The is_a hierarchy is used for **query**-answering and genotype-phenotype analysis. ... This is dubbed the 'EQ' **model** [19,20] . The E variable is filled with a We also performed a **partial validation** of the mappings by attempting to ... genomebiology.com/content/11/1/R2 - Cached

Show more results from genomebiology.com

61. [PDF] From a domain analysis to the specification and detection of code ...

File Format: PDF/Adobe Acrobat - Quick View

by N Moha - Cited by 3 - Related articles

Problem 3: **Partial validation** of the existing detection techniques. independent meta-**model** to represent **object**-oriented systems, because the generation process ensures the **correctness** of the code source with respect to language to manipulate relations of any arity with a simple and expressive **query** ...

www.naouelmoha.net/paper/FACS09/Moha09-FACS.pdf 62. [PDF] THIS PROPOSED LEARNING SYSTEM MODEL LETS

File Format: PDF/Adobe Acrobat - View as HTML tion is **correct** and complete). I. A **partial validation** criterion that decides, for a disjunctive ... **type** of search to perform and consequently the search biases. **object**-oriented libraries. His main research inter- ... of **rules** and constraints based programming. (ILOG **Rules** and ILOG Solver) and methodolo- ... www.computer.org/comp/mags/ex/1996/04/x4050.pdf

- 63. Cover Pages: XML Schemas
 - (1) DO use element declarations, attribute groups, **model** groups and simple **types**. (2) DO use XML namespaces as much as possible. Learn the **correct** way to ...

xml.coverpages.org/schemas.html - Cached - Similar

64. Boliven Patents - US7296017: Validation of XML data files ...

Sara Williams and Charlie Kindel, "The Component **Object Model**: A Schema-based, preset, script-based, and other **types** of validation **rules** can be used ...

www.boliven.com/patent/US7296017/description - Cached

65. Sending email via Lotus notes - .NET Development - Windows Tech

So my form will have 10 text boxes searching each field in the **database**. ... Parameter name: dataReader Seems like u have used Parameterized **Query** in your ... Michael Taylor - 8/8/07 http://p3net. mvps.org Hi Michael You are **correct** to assume that to the element's parent XmlSchemaElement for **partial validation**. ... www.windows-tech.info/13/ebc01cdf9f9a4fa4.php - Cached

66. Nico's CRM

since this is a subclass of LookupControl it is not in the "correct"

assembly anymore. and some don't, the users will only get a **partial validation** at a time, ... This is also handy for designing css **rules** that should not affect other parts ... out the corresponding C# code to do it through the entity **model**), ...

blog.nicocrm.com/ - Cached - Similar

67. os890

in jsf you can **query** beans by name (not by **type** which is possible e. g. in based on constraints. that results in the **correct** values e.g. of the maxlength you would like to use a **partial validation** concept similar to the ... this add-on is a prototype for lightweight transactional **model** validation. ...

os890.blogspot.com/ - Cached - Similar

68. CroCo: Ontology-Based, Cross-Application Context Management

by S Pietschmann - Cited by 8 - Related articles that allows for cross-application context gathering, **model**- ... better support for aspects like **partial validation**, disambigu- ... **rules**. When context data is requested, these **rules** are used ... be able to fetch (i. e. **query**) relevant data from the service ... Finally, to support context **data** update and provision, ...

ieeexplore.ieee.org/iel5/4724829/4724830/04724854.pdf?arnumber...

69. A Knowledge-Level Model of a Configurable Learning System - IEEE ...

tion is **correct** and complete). A **partial validation** criterion that decides, for a disjunctive target ... **type** of search to perform and consequently the search biases. **object**-oriented libraries. His main research inter- ... of **rules** and constraints based programming. (ILOG **Rules** and ILOG Solver) and methodolo- ... ieeexplore.ieee.org/iei3/64/11141/00511867.pdf

Show more results from leeexplore leee.org

70. [PDF] Untitled

File Format: PDF/Adobe Acrobat - View as HTML

as a **partial validation** of the **model** system. that a distributed **database** of attributes which uniquely ... particular **type**, as long as they are not overridden by ... information by allowing users to build **rule**-based filters ... **query** response. For data-based systems, the criterion is **correctness**: the system ...

etd.lib.ttu.edu/theses/available/etd-02262009.../31295005282859.pdf

71. Nico's CRM

since this is a subclass of LookupControl it is not in the "correct" assembly anymore. and some don't, the users will only get a partial validation at a time, ... This is also handy for designing css rules that should not affect other ... I use that a lot when I have a complex, read-only query (so much faster ...

blog.chivinou.net/?s= - Cached

72. Multiple data-related variables in Tweet Button

Aug 12, 2010 ... I'm pretty sure my form data is in the **correct** format: Array ([Rental] ... So, with what you did 'fields' was passed in the SQL **query** And since you have access to a **model object** inside of the **model** Multiple forms, multiple buttons, **partial validation**, post back all form0 and form1 data? ...

www.devcomments.com/Multiple-data-related-variables-in-Tweet-Button-at267728.htm - Cached

73. Smart-Context: A Context Ontology for Pervasive Mobile Computing ...

by P Moore - 2008 - Cited by 3 - Related articles

Mar 4, 2008 ... This paper presents a novel context process **model** to meet the context Note 3: Based on context processing **rules** if no further context processing is decisions including disambiguation and **partial validation** to be achieved. with Lisa to request assistance to resolve his **query**. ...

comini.oxfordjournals.org/cgi/content/full/bxm104v1 - Similar

74. Integrating phenotype ontologies across multiple species

by CJ Mungall - 2010 - Cited by 17 - Related articles

For example, the **database** might record an association between a genotype Of these, 48 were deemed to be **correct**, and the new links were added to the MP graph. ... We also performed a **partial validation** of the mappings by attempting to ... However, if we wish to **query** across combined multi-species datasets for ...

www.ncbi.nlm.nih.gov/pmc/articles/PMC2847714/

75. [PDF] Oracle Binary XML Format Status of this Memo Abstract
Change Log

File Format: PDF/Adobe Acrobat - View as HTML

by S Chandrasekar - Cited by 2 - Related articles

may be desirable to do only **partial validation** in the case when the example, an instance of XQuery data **model**), the **type** id is encoded in CSX stream. ...

www.oracle.com/technetwork/database/.../oracle-binaryxml-rfc-128974.pdf

76. [PDF] tXSchema: Support for Data- and Schema-Versioned XML Documents A ...

File Format: PDF/Adobe Acrobat - Quick View by F Currim - 2009 - Cited by 1 - Related articles

Both the person who is formulating a **query** and the **database** need to know which **object**-oriented data **types** that support inheritance and can extend or ...

www.cs.arizona.edu/~rts/pubs/TR91.pdf

77. Tao Xie's Software Engineering Links!

Tamar Richner-Hanna - Recovering Behavioral Design Views: a **Query**-based Approach ... Womble: lightweight tool for extracting **object models** from Java bytecode By Daniel ... **Type**-based analysis and applications by Jens Palsberg Economic models of software reuse: A survey, comparison and **partial validation** ... people.engr.ncsu.edu/txie/seresearchlinks.html - Cached - Similar

78. Representing and Reasoning with Defaults for Learning Agent

by BN Grosof - Cited by 1 - Related articles

and formal guarantees enabling **partial validation**; are **correct**. Additional observations simply narrow the **type** bias (on a hypothesis space) corresponds to for- the set of all conclusions entailed (**model**-theoretically, not only by what **rules** and facts appeared positively in ...

www.aaai.org/Papers/Symposia/Spring/1993/SS-93-06/SS93-06-012.

79. Integrating phenotype ontologies across multiple species

For example, the **database** might record an association between a genotype of ... The is_a hierarchy is used for **query**-answering and genotype-phenotype analysis. Of these, 48 were deemed to be **correct**, and the new links were added to ... We also performed a

partial validation of the mappings by attempting to ... ukpmc.ac.uk/articlerender.cgi?artid=1995705

80. [PDF] Integrating phenotype ontologies across multiple species

File Format: PDF/Adobe Acrobat - Quick View by CJ Mungali - 2010 - Related articles

model organism databases such as FlyBase (Drosophila) type ontology, which were submitted to the maintainers of ... We also performed a partial validation of the mappings by phology or to add logical rules to PATO such that it is possi- such as 'corneal opacity' we can query across human, mouse ...

www.biomedcentral.com/content/pdf/gb-2010-11-1-r2.pdf

81. Analyzing beliefs and practices of a Mexican high school biology ...

by J Verjovsky - 2005 - Cited by 14 - Related articles transmission **model** of teaching in Mexican secondary school classes (grades participation, questioning, basic **rules** of discourse and the teaching of content, each of She then **queried** that answer by yet another questioning. "yes?" With this he seemed to get the message that the **correct** answer was no, ... www3.interscience.wiley.com/journal/110430277/articletext? DOI=10...

82. [PDF] TRANSACT: A Transactional Framework for Programming Wireless ...

File Format: PDF/Adobe Acrobat - Quick View by M Demirbas - Cited by 2 - Related articles

tral **database** repository or an arbiter; the control and sensor variables, on which the transactions operate, in this **model**. Each method is written as if it will be exe- **correctness**. We call a run successful if the resultant values On transaction processing with **partial validation** and ...

www.cse.buffalo.edu/~demirbas/publications/transact.pdf

83. Oracle XML DB Developer's Guide

by P Author

Deriving an **Object Model**: Mapping the XML Schema Constructs to SQL **Types** of SQL and XML with the ability of the **database** to enforce **rules** makes the ...

cs.felk.cvut.cz/10gr2/appdev.102/b14259.pdf

84. [PDF] SOA eBook

File Format: PDF/Adobe Acrobat

Partial Validation (362) is a consumer-focused pattern that helps optimize In fact, it is the underlying Document **Object Model** (DOM) that makes ...

ptgmedia.pearsoncmg.com/imprint.../informit/.../SOA_eBook-InformiT.pdf

85. [PDF] EVALUATION COPY

File Format: PDF/Adobe Acrobat - Quick View

In this lab, you will conduct a **partial validation** test to determine the accessibility **..... query** the **database** for an alphabetical list of employee names, **...**

www.ciwcertified.com/proddesc/SAMPLE../ECT02CFDFXNPL706. PDF

86. Exhaustive list of svn commits since Jahia 5.0 SP3 release

Jun 13, 2008 ... Resolution: correctly check if the **object** is available in this **Correct** also JahiaContainerListDAO due to a mismack in **type** of ...

www.polytechnice.fr/jahia/html/.../changelog_5.0.4_svn_based.html - Cached

87. [PDF] Semantics Based Customization of UBL Document Schemas *

File Format: PDF/Adobe Acrobat - View as HTML by Y YARIMAGAN - Cited by 7 - Related articles

Constraint **rules** are tied to values from these particular set of classifica- nent metadata is **queried** to gather applicable versions with the help of inferred uitous computing: distributed composition, **partial validation**, ... guage (CoOL) [24], which provides a uniform way for specifying the **model**'s core ... www.srdc.com.tr/webpage/publications/2007/DAPD-S-06-00073.pdf

88. [PDF] Semantics Based Customization of UBL Document Schemas *

File Format: PDF/Adobe Acrobat - Quick View by Y YARIMAGAN - Cited by 7 - Related articles

block for the creation of a semantically **correct** and meaningful information ex- ... Constraint **rules** are tied to values from these particular set of classifica- nent metadata is **queried** to gather

applicable versions with the help of inferred uitous computing: distributed composition, **partial validation**, ...

www.srdc.metu.edu.tr/webpage/publications/2007/YarimaganDogac.pdf

89. springmodules: Spring Modules - Modules, add-...

The **type** of caching **model** must match the chosen cache implementation: the db4o **database** file, from an ObjectServer or based on a Configuration **object**. ...

www.360doc.com/content/07/0403/.../24017_428530.shtml - Cached - Similar

90. Service Matching with Contextualised Ontologies

by U Remer-Brusch - Related articles

[91] proposed a Web-based **model** of context in which each **object** has a ... They are usually composed distributed, but **partial validation** is difficult to ...

deposit.ddb.de/cgi-bin/dokserv?idn=983284776&dok_var...

91. [PDF] Microsoft PowerPoint - BLAST

File Format: PDF/Adobe Acrobat - Quick View by D Beyer - Cited by 107 - Related articles

Partial validation. • Properties. – Memory safety. – Temporal safety ... Program analysis. • Type checking. • Model checking. • Many projects ... Different from program correctness. – Specifications are not complete Treats a program as a database of facts that can be queried, and supports macros for ... www.sosy-lab.org/~dbeyer/Presentations/BLAST-Slides.pdf

92. Methods, systems, architectures and data structures for delivering ...

Aug 17, 2010 ... US 5960199 A, **Model** trace view for **object**-oriented systems, Sep-1999 **type** definition to access data in **object** oriented **database** ...

ip.com/patent/US7779027 - Cached

93. [PS] ps - :YC+@2IW Gn;NO@J8 JF 7L@7{

File Format: Adobe PostScript
DOM (Document **Object Model**) [DOM] is a popular API for XML processing, implemented as In addition, **partial validation** checksthe **type** environment with ...

arbre.is.s.u-tokyo.ac.jp/~hahosoya/papers/phdth.ps

94. [PDF] Oracle XML Developer's Kit Programmer's Guide

File Format: PDF/Adobe Acrobat

ResultSet **object**. If necessary, the **query** results can be further Store XML data natively in the **database** server as the Oracle native **type** XMLType. ...

web.deu.edu.tr/doc/oracle/B14099_16/web.1012/b14033.pdf 95. [PDF] Semantic Enrichment for Automated Customization and ...

File Format: PDF/Adobe Acrobat - View as HTML.

by C Özgen - 2008 - Related articles

business concepts and object-**type** properties (i.e. roles in description logics) standard APIs for XML parsing, including the Document **Object Model** ...

www.oasis-open.org/committees/.../20080408Yalin_Yarimagan_tez.pdf

96. Lecture Notes in Computer Science

66 F. Ferri and P. Grifoni and F. L. Ricci An **Object**-Oriented **Model** for a **Query** Driven Data Allocation Algorithms for Distributed **Database** Systems

ftp.math.utah.edu/pub/tex/bib/toc/incs1997b.html - Cached - Similar

97. [PDF] Information Management — Extensible Access Method (XAM) — Part 1 ...

File Format: PDF/Adobe Acrobat

This document uses an **object model** to describe syntax in examples; The XAM **query** language is modeled on the **database** standard **query** language (SQL), ...

www.snia.org/tech_activities/standards/curr.../XAM_Arch_v1.01.pdf

98. From eliot at isogen.com Sun Jun 1 - Mailman

</help-to-code-link> Because the "code-**object**" role's **query** depends on the "help-entry" role's This implies **partial validation**, which we don't have. ...

mailman.ic.ac.uk/pipermail/xml-dev/1997-June.txt - Cached

99. [PDF] REPORT: The Analysis of MODES & The Specification of ORES for ...

File Format: PDF/Adobe Acrobat - View as HTML

enough information to build at least a fairly accurate **model** of the final system. **... Partial validation** through an on-line check system (i. e. structure of products **...** It is compatible with other relational **database** management systems. (An **.....** According to what **type** of **object** is being entered/**queried**, **...**

roymathur.com/york/pubs/modesv1.pdf

100. [PDF]

File Format: PDF/Adobe Acrobat by M Breza - 2007 - Cited by 2

(even if the nodes are equipped with different **types** of ... tribute to **correct** application behaviour at higher levels ... cation of the user or **objects** of interest. Location can **model** based on application's wishes that evaluates each ... lowed us to carry out **partial validation** of results. ...

gala.gre.ac.uk/1083/1/07_22.pdf



"partial validation" objed

Search

Search within results Search Help Give us feedback

Google HomeAdvertising ProgramsBusiness SolutionsPrivacyAbout Google